



HANDBALL

HANDBALL



→ GOAL DE HANDBALL

RANGE DESCRIPTION

HOW TO CHOOSE YOUR HANDBALL GOALS?

Each competition goal comprises a front piece and a pair of arches. There are 42 possible combinations.
FRONT (1) + ARCHES (2) = HANDBALL GOAL

- Mobile goal supplied with anchors
- Goal with sleeves installation supplied with sleeves and anchors.

1/ CHOOSE THE FRONT ACCORDING TO 4 CRITERIA:

CRITERIA 1 - TYPE OF FIXING:

- **Mobile front:** 2 m high posts are provided to outcrop the ground. Bottom parts are closed off by a plastic cap.
- **Fronts for sleeve installation:** the posts are 2,36 m height of which 36 cm in the ground. Supplied with aluminium sleeves.

NEW CRITERIA 2 - TYPE OF FRONT:

- **«Madison facade»:** facade with the crossbar connection and the top goals posts by welded mitred angle and connection of the top goals posts and bottom goals posts by Postlock system.
- **Sectional front:** connection of the goals posts and the crossbar with a reinforced aluminium junction.

CRITERIA 3 - THE MATERIAL:

- **Plastic-coated aluminium front:** the nylon hooks, slides and adjusts itself easily, for fixing the nets (in accordance with the non-pinch standard).
- **Plastic-coated galvanized steel front:** galvanized and supplied with nylon hooks already attached with screws.

CRITERIA 4 - THE COVERING:

- **Painted front:** plastic-coated red and white stripes.
- **Vinyl front:** plastic-coated front and white vinyl stripes.

COMMON DESCRIPTION OF FRONTS:

- Set dimensions 3 m x 2 m.
- Tube with section 80 x 80 mm.
- Colors red and white.
- Nylon hooks for net attachment

Criteria 1	Mobile					Sleeve installation				
Criteria 2	« Madison »	Separate sections				« Madison »	Separate sections			
Criteria 3	Steel	Steel		Aluminium		Steel	Steel		Aluminium	
Criteria 4	Paint	Paint	Vinyl	Paint	Vinyl	Paint	Paint	Vinyl	Paint	Vinyl
Front	1	2	3	4	5	6	7	8	9	10

2/ CHOOSE BETWEEN 6 TYPES OF ARCHES

The 6 types of arches are:

- Arches Ø 50 mm with 2 stabiliser bars and 4 anchors.
- Arches Ø 50 mm with 1 stabiliser bar and 2 anchors.
- Arches Ø 32 mm 1 stabiliser bar and 2 anchors.
- Arches Ø 32 mm without stabiliser bar and 2 anchors.
- Fold-in arches and 2 anchors.
- Wall-folding arches and 2 anchors.

ADVICES

- **The «Madison» handball goal's range** offers exceptional rigidity for the facades. Combined with the arches Ø50 mm, with double anchor system, the «Madison» facade is particularly adapted to the top level competition I, but also to the folding goal.
- The «Postlock» system is a registred design of post's locking on top and bottom. It allows an extremely rigid assembly and ensures durability over time due to its adjustment system. Due to «Postlock», the dispatch of the products become as simple as for a removable front.





→ HANDBALL COMPETITION

ARCHES Ø 50 MM

TOP-LEVEL GOALS

« MADISON » RANGE

ARCHES DESCRIPTION:

- Trapezoid arches Ø 50 mm.
 - high depth: 850 mm
 - low depth : 1170 mm
- White plastic-coated galvanized steel tube RAL 9010 with corner reinforcements.
- Double anchor system, 4 anchors per goal.*
- 2 stabiliser bars on top and bottom, Ø 32 mm.
- Welded half links to attach the net and the damper net.

* supplied with 4 screwanchors for concrete floor



+ PRODUCT BENEFITS

- + High rigidity
- + High robustness
- + Bi-color plastification

Front	Type	Manufacture	Material	White stripes	Reference
1	Mobile	Madison	Steel	Paint	HB03N212NBI-HC
6	Sleeve installation	Madison	Steel	Paint	HB03N213NBI-HC

COMPETITION GOALS

ARCHES SPECIFICATIONS:

- Arches Ø 50 mm.
- Depth: 990 mm.
- White plastic-coated galvanized steel tube RAL 9010 with corner reinforcements.
- 2 adjustment jacks per goal.
- Supplied with 2 anchors.
- One stabiliser bar Ø 32 mm to attach to the ground.
- Welded hooks for net attachment.



Front	Type	Manufacture	Material	White stripes	Reference
1	Mobile	Madison	Steel	Paint	HB03N212NBI
2	Mobile	Separate sections	Steel	Paint	HB03N212BI
3	Mobile	Separate sections	Steel	Vinyl	HB03N212BV
4	Mobile	Separate sections	Aluminium	Paint	HB03N301BI
5	Mobile	Separate sections	Aluminium	Vinyl	HB03N301BV
6	Sleeve installation	Madison	Steel	Paint	HB03N213NBI
7	Sleeve installation	Separate sections	Steel	Paint	HB03N213BI
8	Sleeve installation	Separate sections	Steel	Vinyl	HB03N213BV
9	Sleeve installation	Separate sections	Aluminium	Paint	HB03N302BI
10	Sleeve installation	Separate sections	Aluminium	Vinyl	HB03N302BV

Conforms to standard NF EN 749

RED. RAL 3000



WHITE, RAL 9010



FRONT
VINYL FRONT COLOR +



ORIGINE
FRANCE
GARANTIE

→ HANDBALL COMPETITION

Ø32MM ARCHES

COMPETITION GOAL

ARCHES SPECIFICATIONS :

- Arches Ø 32 mm.
- Depth: 990 mm.
- White plastic-coated galvanized steel tube RAL 9010 reinforced in the corners.
- 2 adjustment jacks per goal.
- Suplied with 2 anchors.
- Welded hooks for net attachment.

Option : One stabiliser bar for the lower part.



With stabiliser bar

Front	Type	Manufacture	Material	White stripes	Reference WITHOUT stabiliser bar	Reference WITH stabiliser bar
1	Mobile	Madison	Steel	Paint	HB05N212NBI	HB04N212NBI
2	Mobile	Separate sections	Steel	Paint	HB05N212BI	HB04N212BI
3	Mobile	Separate sections	Steel	Vinyl	HB05N212BV	HB04N212BV
4	Mobile	Separate sections	Aluminium	Paint	HB05N301BI	HB04N301BI
5	Mobile	Separate sections	Aluminium	Vinyl	HB05N301BV	HB04N301BV
6	Sleeve installation	Madison	Steel	Paint	HB05N213NBI	HB04N213NBI
7	Sleeve installation	Separate sections	Steel	Paint	HB05N213BI	HB04N213BI
8	Sleeve installation	Separate sections	Steel	Vinyl	HB05N213BV	HB04N213BV
9	Sleeve installation	Separate sections	Aluminium	Paint	HB05N302BI	HB04N302BI
10	Sleeve installation	Separate sections	Aluminium	Vinyl	HB05N302BV	HB04N302BV



→ HANDBALL COMPETITION

FOLD-IN SIDE AND WALL-FOLDING ARCHES

FOLD-IN SIDE ARCHES GOAL

ARCHES SPECIFICATIONS :

- Fold-in arches.
- Galvanized steel Ø 32 mm, white plastic-coated RAL 9010 adjustable on the crossbar.
- 2 adjustment jacks per goal.
- Supplied with 2 anchors.
- Welded hooks for net attachment.



Front	Type	Manufacture	Material	White stripes	Reference
1	Mobile	Madison	Steel	Paint	HB02N212NBI
2	Mobile	Separate sections	Steel	Paint	HB02N212BI
3	Mobile	Separate sections	Steel	Vinyl	HB02N212BV
4	Mobile	Separate sections	Aluminium	Paint	HB02N301BI
5	Mobile	Separate sections	Aluminium	Vinyl	HB02N301BV
6	Sleeve installation	Madison	Steel	Paint	HB02N213NBI
7	Sleeve installation	Separate sections	Steel	Paint	HB02N213BI
8	Sleeve installation	Separate sections	Steel	Vinyl	HB02N213BV
9	Sleeve installation	Separate sections	Aluminium	Paint	HB02N302BI
10	Sleeve installation	Separate sections	Aluminium	Vinyl	HB02N302BV

WALL-FOLDING GOAL

ARCHES SPECIFICATIONS :

- Wall-folding arches.
- White plastic-coated galvanized steel RAL 9010 reinforced in the corners.
- Telescopic spacer bars attached to the wall for adjusting between 0.90 m and 1.40 m or 1.40 m and 2.10 m.
- 2 wheels per goal attached under the spacer bars for easier moving.
- Supplied with 2 anchors.
- Welded hooks for net attachment.



Front	Type	Manufacture	Material	White stripes	Overhang	Reference
1	Mobile	Madison	Steel	Paint	0,9 to 1,4 m	HB01N212NBI
	Mobile	Madison	Steel	Paint	1,4 m to 2,1 m	HB01N213NBI
2	Mobile	Separate sections	Steel	Paint	0,9 to 1,4 m	HB01N212BI
	Mobile	Separate sections	Steel	Paint	1,4 m to 2,1 m	HB01N213BI
3	Mobile	Separate sections	Steel	Vinyl	0,9 to 1,4 m	HB01N212BV
	Mobile	Separate sections	Steel	Vinyl	1,4 m to 2,1 m	HB01N213BV
4	Mobile	Separate sections	Aluminium	Paint	0,9 to 1,4 m	HB01N301BI
	Mobile	Separate sections	Aluminium	Paint	1,4 m to 2,1 m	HB01N302BI
5	Mobile	Separate sections	Aluminium	Vinyl	0,9 to 1,4 m	HB01N301BV
	Mobile	Separate sections	Aluminium	Vinyl	1,4 m to 2,1 m	HB01N302BV



→ SCHOOL HANDBALL GOALS

PRIM' HAND AND SCHOOL HANDBALL

PRIM'HAND AND SCHOOL HANDBALL

DESCRIPTION:

- Tube with section 80 x 40 mm.
- Ø 32 mm arches made of white plastic-coated galvanized tube.
- Moulded aluminium connectors in the corners.
- Adjustment jack for better ground stabilisation.
- Nylon net attachment hooks.
- Supplied with set of anchors and a set of sleeves for the sleeve installation type.



Name of goal	Reference	Type	Material	Dimension	Surface treatment	Profil
Prim Hand	HB050001-Z	Mobile	Steel	2,40 x 1,70 m	Plastic-coated galvanized	
	HB050002-Z	Sleeve installation		2,40 x 1,70 m		
School handball	HB05N103	Mobile		3 x 2 m		
	HB05N104	Sleeve installation		3 x 2 m		

→ STREET GOALS

STREET HANDBALL

DESCRIPTION:

- Goals 3 x 2 m made of square plastic-coated galvanized steel tube 80 x 80 mm, plain red color, with side arches made of plastic-coated galvanized steel tube Ø 50 mm. Moulded aluminium connectors in the corners of the goalposts.
- Nylon net attachment hooks.

Ref. HB05N230 (Mounting plate)

Ref. HB05N232 (Direct sealing)

ACCESSORIES:

- High-strength nets for handball goals, polypropylene mesh 100 mm with knots Ø 4 mm.

Ref. 112HB240N.

- Bungee cords Ø 5.5 mm for net attachment.

Ref. FLHB1010.

OPTION :

- Vinyl strip - **Ref. HB050230.**



Ref. HB05N230 + HB050230.

HANDBALL/FOOTBALL GOALPOSTS

DESCRIPTION:

- Goals 3 x 2 m made of white plastic-coated galvanized steel tube Ø 80 mm.
- Moulded aluminium connectors in the corners of the goalposts.
- No net attachment hooks.
- Direct sealing in the concrete.

Ref. HB05N308



Ref. HB05N308

ADVICE:

For loose soil, the posts must be embedded deeper. Please contact us.

→ ACCESSORIES

PRIM HAND AND SCHOOL HANDBALL

RANGE DESCRIPTION

- Set of 4 covers caps for anchors Ø 60 mm (not supplied with the goals).
Ref. HB050408
- Set of 4 extra anchors.
Ref. HB050401.
- Set of 4 extra sleeves for post 80 x 40 mm.
Ref. HB050402.
- Set of 4 extra sleeves for post 80 x 80 mm.
Ref. HB050406.
- Bungee cord kit for 1 pair of goals.
Ref. FLHB1010.
- Extra nylon hook for aluminium goals.
Ref. FB04N606.
- Extra nylon hook for steel goals.
Ref. FB04N607.
- Dual-attachment hook for steel goals. Fixing with screws.
Ref. FB040651-Z.
- NEW** ● Set of 4 removable anchors for fold-in handball goals
Ref. HB050415
- NEW** ● Trolley for 2 pairs of fold-in side arches handball goals
Ref. HB HB050416
- NEW** ● Wall rack for handball front
Ref. HB050417
- NEW** ● Set of 4 pipes for sleeves installation, with sleeves, Ø40 mm adaptable on mobile handball
Ref. HB050405



Ref. HB050401



Ref. HB050402



Ref. HB050406



Ref. FB040651-Z



Ref. HB050415



Ref. HB050416



Ref. HB050405