



TENNIS



→ TENNIS POSTS TO SEAL

OVOID POSTS

OVOID TENNIS SECTION POSTS:

- Natural anodized aluminium posts
- Ovoid section posts 100/120 mm

TENSIONING SYSTEM:

- Aluminium frame bars Ø 8 mm sliding into the hooks.
- Rack and pinion jack for net tensioning.

FLOOR MOUNTING:

- Toseal
- Supplied with installation sleeves and aluminium caps:
 - Ø 90 mm sleeves (with adaptation)
 - Ø 100/120 mm sleeves

REFERENCES FOR A PAIR OF OVOID TENNIS POSTS:

- With round sleeves - **Ref. TN120106-90.**
- With ovoid sleeves - **Ref. TN120106.**



Ref. TN120106

+ PRODUCT BENEFITS

- + Innovative design
- + Antioxidant: suitable for indoor and outdoor use

ROUND OR SQUARE POSTS

DESCRIPTION OF THE TENNIS POSTS WITH INSTALLATION SLEEVES:

- Aluminium frame bars Ø 8 mm sliding into the hooks.
- Rack and pinion jack for net tensioning.
- Supplied with installation sleeves and aluminium caps.

THE POSTS ARE AVAILABLE IN 2 SECTIONS:

- Square post, 80 x 80 mm.
- Round post, Ø 90 mm.

THE POSTS ARE AVAILABLE IN 2 MATERIALS:

- Galvanized steel.
- Plastic-coated aluminium.

	Square post 80 x 80 mm	Round post Ø 90 mm
Galvanized steel	TN080102	TN080103
Plastic-coated aluminium	TN080105	TN080106



Ref. TN080105



Ref. TN080102



Ref. TN080103



Ref. TN080106



→ TENNIS POSTS MOUNTING PLATES

EXTERNAL TENSIONING SYSTEM

DESCRIPTION of the posts with mounting plates:

- Bichromate steel posts with mounting plates supplied with aluminium frame bars Ø 8 mm sliding into the hooks.
- Rack and pinion jack for net tensioning.
- Supplied with 2 installation anchors.
- Mounting plate dimensions 250 x 250 mm.

3 versions available:

- White square 100 x 100 mm. **Ref. TN080144.**
- Square 100 x 100 mm other RAL color. **Ref. TN080146.**
- Square 80 x 80 mm. **Ref. TN080104.**



Ref. TN080144



Ref. TN080144



Ref. TN080146 : RAL 6005

INFORMATION

All of our tennis posts can be installed indoor or outdoor (choose the aluminium version for outdoor use).

→ TENNIS POSTS

WHITE, RAL 9010



ORIGINE
FRANCE®
GARANTIE

MOBILE

STEEL POSTS

Conforms to the norm NF EN 1510 TYPE 2

DESCRIPTION OF THE MOBILE POSTS:

- Mobile posts supplied with aluminium frame bars Ø 8 mm sliding into the hooks.
- Rack and pinion jack for net tensioning.
- Rear wheels Ø 125 mm with smooth rolling ring.
- Supplied with 2 installation anchors.

2 VERSIONS AVAILABLE:

- White plastic-coated galvanized steel tube Ø 90 mm.
Ref. TN080108.
- White plastic-coated galvanized steel square tube 80 x 80 mm.
Ref. TN080109.



SHORT TENNIS KIT

DESCRIPTION OF THE SHORT TENNIS KIT:

- Red RAL 6005, plastic-coated aluminium tube 40 x 40 mm.
- Height of posts: 0.81 m.
- Stabiliser bar provided for all kits.
- Supplied with 45 mm mesh net Ø 2 mm.

3 VERSIONS AVAILABLE:

- 3 m short tennis kit + net. **Ref. TN080500.**
- 6 m short tennis kit + net. **Ref. TN080505.**
- 8 m short tennis kit + net. **Ref. TN080515.**



PRODUCT MODIFIED



Conforms to FFT rules.

WHITE, RAL 9010



COLOR +



→ UMPIRE CHAIR



CHAIR HEIGHT 1.78 M

DESCRIPTION:

- Aluminium or steel chair
- Polyethylene seats with UV stabiliser treatment.
- Ladder :
 - Straight ladder, width 500 mm
 - Flat non-slip grooved steps width 85 mm (aluminium version)
 - Bars steps Ø 32 mm (steel version)
- Writingshel f.
- Central shelf for clothes and bags.
- Dimensions:
 - Seat height: 1.78 m.
 - Floor space required: 1,60 x 0,77 m.

SIDE CHAIRS:

- Seat height : 0,44 m.
- Floor space required (chairs included): 2,20 x 0,52 m.

REFERENCES:

	Aluminium Plastic-coated	Aluminium raw	Steel Plastic-coated
Tennis chair	TN080224	TN080223	TN080201
Side chair	TN080227	TN080225	TN080202

+ PRODUCT BENEFITS

- + New design
- + Seat Reinforcement
- + Wider seat



Ref. TN080224+TN080227



Ref. TN080201+TN080202

2015 STEEL AND ALUMINIUM VERSION STILL AVAILABLE (PLEASE CONSULT US).



→ SINGLE POSTS AND ACCESSORIES

SINGLE POSTS

DESCRIPTION:

- Height: 1.07 m
- Square steel tube posts 25x25 mm.
- Wide round mounting plate Ø140 mm for better stability.
- Net tape held perfectly in place on the post.

Ref. TN080111



Ref. TN080111

TENNIS ACCESSORIES

+ RACK AND PINION JACK

- + New design
- + New ergonomic crank
- + Reinforced strength
- + Self-locking with automatic recall of the rack

Ref. TN080304



Ref. TN080304

+ PROTECTIVE HOOD FOR THE NEW RACK AND PINION JACK.

- + Aluminium hood, very design
- + Reinforced Security for the players: curved form
- + Using the handle of the crank for tightening the hood

Ref. TN080305



Ref. TN080305

- Transport trolley.
 - Trolley made of steel tube white plastic-coated.
 - Trolley fit 4 pair of posts. **Ref. VB090600**

- Regulator:
 - Regulator - **Ref. TN080306**
 - Regulator box - **Ref. TN080302**

- Parasol holder (to install on chair Ø22 to 25 mm) **Ref. TN080220**

- Replacement seat:
 - Aluminium seat 2 m **Ref. TN080359**
 - Steel seat 1.85 m **Ref. TN080358-Z**
 - Steel and aluminium seat 1.78 m **Ref. ABCOQ002**

- Set of 2 sleeves and caps
 - For ovoid posts Ø 100x120 mm. **Ref. FB040612**
 - For round posts Ø 90 mm. **Ref. TN080170**
 - For square posts 80x80 mm. **Ref. TN080169**



Ref. VB090600



Ref. TN080306



Ref. TN080170



Ref. TN080220



Ref. ABCOQ002